

# SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name BORACOL 200 RH FUNGICIDE

Synonym(s) 200 RH BORACOL • BORACOL 200 RH

1.2 Uses and uses advised against

Use(s) ALGAE CONTROL • FUNGICIDE • INSECTICIDE • PRESERVATIVE

1.3 Details of the supplier of the product

Supplier name KOPPERS PERFORMANCE CHEMICALS AUSTRALIA PTY LTD

Address Cafpirco Rd, Mount Gambier, SA, 5290, AUSTRALIA

**Telephone** (08) 8723 1399 **Fax** (08) 8723 0010

Emailkpc.admin@koppers.com.auWebsitewww.kopperspc.com.au

1.4 Emergency telephone number(s)

**Emergency** 1800 088 809

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO AUSTRALIAN WHS REGULATIONS

**GHS classification(s)** Acute Toxicity: Oral: Category 4

Skin Corrosion/Irritation: Category 2

Serious Eye Damage / Eye Irritation: Category 2A

Toxic to Reproduction: Category 1B

#### 2.2 Label elements

Signal word DANGER

Pictogram(s)





# Hazard statement(s)

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

Prevention statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

ChemAlert.

SDS Date: 29 Apr 2016

#### Response statement(s)

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention. P321 Specific treatment is advised - see first aid instructions.

P330

P362 Take off contaminated clothing and wash before re-use.

Storage statement(s)

P405 Store locked up.

Disposal statement(s)

P501 Dispose of contents/container in accordance with relevant regulations.

#### 2.3 Other hazards

No information provided.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
ETHYLENE GLYCOL	107-21-1	203-473-3	>60%
DISODIUM OCTABORATE TETRAHYDRATE	12008-41-2	234-541-0	10 to 30%
WATER	7732-18-5	231-791-2	<30%
BENZALKONIUM CHLORIDE	8001-54-5	616-786-9	1 to 10%

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once).

No information provided. First aid facilities

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

Water, foam, carbon dioxide, or dry chemical. Prevent contamination of drains and waterways.

# 5.2 Special hazards arising from the substance or mixture

Combustible. May evolve carbon oxides and hydrocarbons when heated to decomposition.

#### 5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

#### 5.4 Hazchem code

None allocated.



SDS Date: 29 Apr 2016 Page 2 of 7 Version No: 3

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

#### **6.2 Environmental precautions**

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

#### 7.3 Specific end use(s)

No information provided.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

### **Exposure standards**

Ingredient	Reference	Reference		STEL	
ingredicit	Reference	ppm	mg/m³	ppm	mg/m³
Ethylene glycol (particulate)	SWA (AUS)		10		
Ethylene glycol (vapour)	SWA (AUS)	20	52	40	104

### **Biological limits**

No biological limit values have been entered for this product.

# 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas.

PPE

**Eye / Face** Wear splash-proof goggles. **Hands** Wear PVC or rubber gloves.

**Body** When using large quantities or where heavy contamination is likely, wear coveralls.

**Respiratory** Not required under normal conditions of use.





# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance CLEAR COLOURLESS LIQUID
Odour SLIGHT ODOUR



SDS Date: 29 Apr 2016

9.1 Information on basic physical and chemical properties

Flammability CLASS C1 COMBUSTIBLE

Flash point > 110°C Boiling point > 197°C

Melting pointNOT AVAILABLEEvaporation rateNOT AVAILABLE

**pH** 6.3

Vapour density NOT AVAILABLE

Specific gravity1.232Solubility (water)SOLUBLEVapour pressureNOT AVAILABLEUpper explosion limitNOT AVAILABLE

Lower explosion limit 3.2 %

Partition coefficient NOT AVAILABLE

Autoignition temperature > 400°C

Decomposition temperatureNOT AVAILABLEViscosityNOT AVAILABLEExplosive propertiesNOT AVAILABLEOxidising propertiesNOT AVAILABLEOdour thresholdNOT AVAILABLE

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

### 10.3 Possibility of hazardous reactions

Hazardous polymerization is not expected to occur.

#### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

# 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), fluorine, alkaloidal and metallic salts. Further incompatibilities include; dimethyl terephthalate and titanium butoxide, perchloric acid (violently), mixtures with ammonium dichromate, sodium chlorite, silver chlorate and uranyl nitrate ignite when heated to 100°C. Aqueous solutions may ignite silvered copper wires which have an applied D.C. voltage.

# 10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

Acute toxicity Information available for the product:

Harmful if swallowed.

Information available for the ingredient(s):

Ingredient	Oral Toxicity (LD50)	Dermal Toxicity (LD50)	Inhalation Toxicity (LC50)
ETHYLENE GLYCOL	1670 mg/kg (cat); >	9530 mg/kg (rabbit)	10876 mg/kg (rat)
DISODIUM OCTABORATE TETRAHYDRATE	2 g/kg (rat)		
BENZALKONIUM CHLORIDE	240 mg/kg (rat)		

SkinContact may result in irritation, redness, pain and rash.EyeContact may result in irritation, lacrimation, pain and redness.SensitisationNot classified as causing skin or respiratory sensitisation.

MutagenicityNot classified as a mutagen.CarcinogenicityNot classified as a carcinogen.



SDS Date: 29 Apr 2016

Reproductive May damage fertility or the unborn child. Animal studies have shown that exposure to high concentrations of

borates may effect the developing fetus and the testes.

STOT – single

exposure

Not classified as causing organ damage from single exposure.

STOT – repeated

Repeated exposure to borates may result in skin rash, bronchitis and kidney damage.

exposure Aspiration

Not classified as causing aspiration.

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No information provided.

#### 12.2 Persistence and degradability

No information provided.

#### 12.3 Bioaccumulative potential

No information provided.

#### 12.4 Mobility in soil

No information provided.

#### 12.5 Other adverse effects

Boron is an essential micronutrient for healthy growth of plants, however, it can be harmful to boron sensitive plants at higher concentrations. The desired level of boron in saturated soil is between 0.15ppm and 0.5ppm. Care should be taken to minimise the amount of boron product released to the environment. Calcium may precipitate out some of the boron, but this process will not significantly reduce toxicity to plants.

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Waste disposal For small amounts, absorb with sand, vermiculite or similar and dispose of to an approved landfill site.

Contact the manufacturer/supplier for additional information if disposing of large quantities (if required).

**Legislation** Dispose of in accordance with relevant local legislation.

# 14. TRANSPORT INFORMATION

# NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None Allocated	None Allocated	None Allocated
14.2 Proper Shipping Name	None Allocated	None Allocated	None Allocated
14.3 Transport Hazard Class	None Allocated	None Allocated	None Allocated
14.4 Packing Group	None Allocated	None Allocated	None Allocated

14.5 Environmental hazards No information provided

14.6 Special precautions for user

Hazchem code None Allocated

# 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule Classified as a Schedule 6 (S6) Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Page 5 of 7



SDS Date: 29 Apr 2016

Classifications Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals.

The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous

Substances [NOHSC: 1008(2004)].

Hazard codes Repr. Reproductive toxin

Xi Irritant Xn Harmful

**Risk phrases** R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.
R60 May impair fertility.

R61 May cause harm to the unborn child.

Safety phrases S2 Keep out of reach of children.

S24/25 Avoid contact with skin and eyes.

S45 In case of accident or if you feel unwell seek medical advice immediately (show the label

where possible).

S53 Avoid exposure - obtain special instructions before use.

Inventory listing(s) AUSTRALIA: AICS (Australian Inventory of Chemical Substances)

All components are listed on AICS, or are exempt.

# 16. OTHER INFORMATION

#### **Additional information**

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

# HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



SDS Date: 29 Apr 2016

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

#### Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

#### Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmt.com.au.

[ End of SDS ]



SDS Date: 29 Apr 2016