

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FENDONA[®] 15C INSECTICIDE

ACTIVE CONSTITUENT: 15 g/L ALPHA-CYPERMETHRIN

GROUP	3A	INSECTICIDE
-------	-----------	-------------

A residual insecticide for the control of ants, cockroaches, silverfish, fleas, flies and spiders in domestic, industrial and public health situations.

CONTENTS: 1 Litre, 2.5 Litres & 5 Litres

TO BE USED ONLY BY LICENCED PEST CONTROL OPERATORS

BASF Australia Ltd ABN 62 008 437 867
Level 12, 28 Freshwater Place Southbank VICTORIA 3006

Website: www.termidor.com.au
Customer Service Hotline: 1800 006 393
® Registered trademark of BASF 2009

APVMA Approval No.: 40496/1L/0609, 40496/2.5L/0609, 40496/5L/0609

HOW TO USE

RESTRAINTS

DO NOT apply by fogging or misting equipment. For surface treatment only.

DO NOT use FENDONA 15 SC® to control fleas on animals.

AREAS	PEST	RATE	HOW TO APPLY
Domestic, industrial and public health situations.	German cockroach Australian cockroach American cockroach Smoky brown cockroach Oriental cockroach Fleas Flies Silverfish Spiders	<p>Initial treatment or control and heavy infestations: 40 mL in 1 L water</p> <p>Maintenance treatment or short term control or light infestations: 20 mL in 1 L water</p>	<p>For crawling insects, apply as a coarse low pressure spray to areas where pests frequent.</p> <p>For flying insects, apply as a surface treatment using a fine spray to wet the surface.</p> <p>Apply 5L of diluted spraymix/100m² up to but not exceeding the point of run-off.</p> <p>For cockroach control, where the use of a spray is not suitable, a registered cockroach gel product such as GOLIATH® Gel or AMDRO® Gel may be applied as per the registered label.</p> <p>For spider control, the treated webs should be left in place for at least 72 hours to increase efficacy, then removed for monitoring or any re-infestation.</p> <p>Add a non-ionic surfactant at the registered label rates to improve spreading on hard to wet surfaces.</p>
	Ants	<p>Initial treatment or extended control or heavy infestations: 65 mL in 1 L water</p> <p>Maintenance treatment or short term control or light infestations: 35 mL in 1 L water</p>	Follow the directions for use as per cockroach treatment (above).

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

FENDONA® 15 SC Insecticide controls insects by contact action and ingestion. When applied as a surface spray, the product offers long residual activity. FENDONA® 15 SC is of relatively low toxicity to humans and other animals and is suitable for use in domestic and public areas.

FENDONA® 15 SC Insecticide can be applied with a knapsack sprayer or other conventional spray equipment used to control public health pests. To obtain best results, all surfaces should be treated, especially cracks, crevices and infested areas. A higher volume of water may be required on very absorbent surfaces. Apply to the point of run-off only. Shake or invert the container before opening. Fill the spray tank with half the volume of required water. Carefully measure the required amount of FENDONA® 15 SC Insecticide in a graduated cylinder and add to the spray tank. Top up the remainder of the water and agitate thoroughly. Do NOT store diluted insecticide. Prepare a fresh suspension as necessary. Clean sprayer out thoroughly after use.

RESISTANCE WARNING

GROUP	3A	INSECTICIDE
--------------	-----------	--------------------

For insecticide resistance management FENDONA® 15 SC Insecticide is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to FENDONA® 15 SC Insecticide and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals may eventually dominant the insect population if FENDONA® 15 SC Insecticide or other Group 3A insecticides are used repeatedly. The effectiveness of FENDONA® 15 SC Insecticide on resistant individuals can be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, BASF Australia Ltd accepts no liability for any losses which may result from the failure of FENDONA® 15 SC Insecticide to control resistant insects. FENDONA® 15 SC Insecticide may be subject to specific resistance management strategies. For further information, contact your local supplier or BASF Australia Ltd representative.

PRECAUTIONS

Avoid contact with food, food utensils, or places where food is prepared or stored.

Before use – Cover or remove bird cages or fish tanks during spraying. Remove or cover all exposed foodstuffs, cover all dishes and utensils and places where food is prepared or stored.

After use – thoroughly ventilate treated area. Clean up thoroughly before processing / serving resumes.

RE-ENTRY PERIOD

DO NOT enter treated areas until spray has dried.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. Do NOT contaminate ponds, waterways or drains with product or used container.

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN.

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Harmful if swallowed. May irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. Avoid inhaling spray mist. When preparing spray, wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Telephone 13 11 26 Australia-wide.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet.

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non- excludable conditions or warranties of the Trade Practices Act 1974 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

APVMA Approval No: 40496/1L/0609, 40496/2.5L/0609, 40496/5L/0609
Version: V0609

Batch No:

Date of Manufacture:

Website: www.termidor.com.au

Customer Service Hotline: 1800 006 393

® = Registered trademark of BASF 2009



The Chemical Company

BASF Australia Ltd

ABN 62 008 437 867

Level 12, 28 Freshwater Place

Southbank VICTORIA 3006

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 803 440 TOLL FREE-ALL HOURS-AUSTRALIA WIDE.