

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

EnsnarePRO

50 SC INSECTICIDE

ACTIVE CONSTITUENT: 50 g/L INDOXACARB

GROUP	22A	INSECTICIDE
--------------	------------	--------------------

For the control of ants, cockroaches and house flies in various situations as specified in the Directions for Use

Net contents: 50 mL – 50 L

DIRECTIONS FOR USE**Restrictions**

DO NOT spray into the air as a space spray, or use in any fogging device.

DO NOT apply to areas or surfaces where food/feed, food utensils or food processing surfaces may come into contact and become contaminated.

Situation	Pest	Rate	Critical Comments
Inside and outside Domestic, Commercial, Industrial and Public Service buildings including factories, hospitals, homes, retail outlets and farm buildings	Ants	10 mL/L or 20 mL/L Maintenance applications and shorter term residual performance 10 mL/L Heavy infestations or extended residual performance 20 mL/L	Spray areas of infestation and building entry points. A perimeter spray around the building and in flower beds will help prevent the entry of ants. For areas where sprays are not suitable (for example around electrical boxes) the use of StarrdustPRO Insecticidal Dusting Powder Industrial Strength is recommended. EnsnarePRO may provide up to 6 months residual control.
	Cockroaches		Spray known and potential cockroach hiding places. A barrier spray around hotspots and along the perimeter of rooms is recommended. A perimeter spray around buildings will help control outdoor cockroach species. For areas where sprays are not suitable (for example around electrical boxes), the use of Sundew BattleaxePRO Roach Bait is recommended. EnsnarePRO may provide up to 6 months residual control.
	House Flies		Spray surfaces where flies land and rest, including internal walls and ceilings, external walls exposed to morning sun and roof spaces. EnsnarePRO may provide up to 6 months residual control.
	House Flies	10 mL/L or 20 mL/L plus 10 g sugar per L	Apply as a bait to all surfaces where flies may contact the spray deposits. The sugar encourages flies to stay longer on treated surfaces. Direct treatment controls adult flies, although any larvae present are also killed. EnsnarePRO may provide up to 6 months residual control.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER THE APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

EnsnarePRO is a suspension concentrate insecticide to be mixed in water and applied as a residual spray for the control of ants, cockroaches and house flies in and around domestic, commercial, industrial and public service buildings.

EnsnarePRO is a non-repellent insecticide, allowing insects to pick up a lethal dose quickly as they are not repelled from treated areas. Therefore, it can be used in the same areas as ant and cockroach bait products without reducing the performance of the baits.

EnsnarePRO is activated inside the insect and can take several hours before an effect is observed. Mortality may take up to 24 hours for insects exposed to a fresh application of EnsnarePRO. EnsnarePRO does not have a flushing effect or fast “knockdown” properties like pyrethroids products.

Length of protection is dependent on surface and environmental conditions. Maximum length of residual control is obtained under indoor and/or sheltered outdoor conditions.

Application

Avoid contact with food, food utensils and food preparation surfaces, these items should be removed or covered prior to spraying. Any food items contaminated during spraying should be discarded, contaminated utensils and preparation surfaces should be washed thoroughly. Cover any fish tanks prior to applying the product.

Always treat a small area first prior to application to determine whether staining will occur.

Ants, Cockroaches and Flies

Apply using well maintained and accurately calibrated spray equipment.

For non-absorbent surfaces apply up to 5 L of spray solution over 100 m². DO NOT exceed point of runoff.

For absorbent surfaces apply 5 to 10 L of spray solution over 100 m².

If the quantity of spray solution varies from 5 L/100 m², adjust the concentration to achieve application of 10 to 20 mL/L product 100 m².

Food/Feed Areas

Application to food/feed areas of food/feed handling establishments may only be made as a crack and crevice treatment. Food and feed handling areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and the facility is in operation.

Apply into crack and crevices using equipment designed to deliver a pin stream between different elements of construction, between floor and equipment, openings to voids and hollow space in walls, bases and equipment.

Re-entry Period

DO NOT allow entry into treated areas until spray has dried unless wearing cotton overalls (or equivalent clothing) and PVC gloves. Clothing must be laundered after each day's use.

Insecticide Resistance Warning

GROUP 22A INSECTICIDE

For insecticide resistance management EnsnarePRO 50 SC Insecticide is a Group 22A insecticide. Some natural occurring insect biotypes resistant to EnsnarePRO and other Group 22A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if EnsnarePRO and other Group 22A insecticides are used repeatedly. The effectiveness of EnsnarePRO on resistant individuals could be significantly reduced. Since occurrence of resistant individuals

is difficult to detect prior to use, Sundew Solutions Pty Ltd accepts no liability for any losses that may result from failure of EnsnarePRO to control resistant insects. EnsnarePRO may be subject to specific resistance management strategies. For further information contact your supplier or Sundew Solutions.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well ventilated area out of the direct sunlight. Rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. Dispose of at an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. When opening the container, preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), a washable hat and elbow-length PVC gloves. Wash hands after use. After each days use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766.

MATERIAL SAFETY DATA SHEET

If additional hazard information is required refer to the Material Safety Data Sheet. For a copy phone 1800 786 339 or visit our website at www.sundewsolutions.com.au

DISCLAIMER

This product complies with the specifications in its statutory registration. Implied terms and warranties are excluded. Sundew's liability for breach of the express or any non-excludable implied warranty is limited to product replacement or purchase price refund. The purchaser must determine suitability for intended purpose and take all proper precautions in the handling, storage and use of the product including those on the label and/or safety data sheet failing which Sundew shall have no liability.

Sundew EnsnarePRO® is a registered trademark of Sundew Solutions Pty Ltd
Sundew Solutions Pty Ltd
ABN 37 135 400 261
Head Office
Unit 11, 4 Dunlop Court
Bayswater VIC 3153
Phone 1800 786 339
www.sundewsolutions.com.au

APVMA Approval Number 83224/107760

Batch No:

DOM: